



format S





Dimensioni espresse in millimetri
 Potenza espressa in Watt
 Radiatore in alluminio
 Disponibile in versione orizzontale e verticale.

Dimension expressed in millimetres
 Output expressed in Watt
 Aluminium radiator
 Available horizontal and vertical version.

	H	D	L				i	i	Finiture / Finishing	
	(mm)	(mm)	(mm)	(lt)	(W)		(mm)	(mm)		
H 1800-4	1800	67	465	2,1	780	429	-	1774	365	 RAL LUX SAT MAT
H 1800-5	1800	67	570	2,6	975	536	-	1774	470	
H 1800-6	1800	67	675	3,1	1170	644	-	1774	575	
H 1800-4 plus	1800	67	465	2,1	1440	792	-	1774	365	
H 1800-5 plus	1800	67	570	2,6	1855	1020	-	1774	470	
H 1800-6 plus	1800	67	675	3,1	2270	1248	-	1774	575	
L 1800-4	465	68	1800	2,1	726	399	-	365	1774	
L 1800-5	570	68	1800	2,6	907	499	-	470	1774	
L 1800-6	675	68	1800	3,1	1088	598	-	575	1774	

FORMAT S-L

FORMAT S-H





KIT VALVOLE VALVES KIT (pag. 124)

manual	thermostatic
1	1T + 14
2	2T + 14
3	3T + 14
4	
5	5T
6	
7	7
8	8T + 14
9	9T + 14
10	10T + 14
11	
12	
13	


● Valvole disponibili/
 Suitable valves

FORMAT S-H

FORMAT S-H plus



CONNESSIONI/CONNECTIONS



*Inserendo il diaframma fornito a kit
 *By mounting the diaphragm